

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	869	370/475.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:51
L3	808	2 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:51
L4	1851	370/474.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:53
L5	4701	370/338.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:53
L6	2947	370/328.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:53
L7	6897	370/401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:54
L8	340	455/426.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:54
L9	1819	nat and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:55
L10	1523	4 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:58
S1	4276	370/389.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 13:40

S3	314	370/536.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 12:14
S14	5496	370/352.ccls..	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 07:18
S22	89	370/913.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:24
S23	14	370/913.ccls.and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:24
S26	16050	(transmit\$4 and receiv\$3) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 14:38
S27	6496	S26 and frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:02
S28	1123	S27 and service adj set	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:02
S29	944	S28 and(mac or (medium adj access adj control))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:07
S30	393	S29 and((@ad<="20030311" or @rlad<="20030311"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:37
S31	0	"10242635".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:00
S32	8	"242635".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:01

S33	6	"242632".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:01
S34	89	S29 and(@ad<="20030311" or @riad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 14:38
S35	16050	(transmit\$4 and receiv\$3) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 08:11
S36	6496	S35 and frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 08:11
S37	1123	S36 and service adj set	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 08:11
S38	944	S37 and(mac or (medium adj access adj control))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 08:11
S39	65	S38 and(@ad<="20030311" or @riad<="20030311") and pda and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 08:27
S40	51	S38 and(@ad<="20030311" or @riad<="20030311") and primary and secondary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 09:16
S41	78	S38 and(@ad<="20030311" or @riad<="20030311") and primary and (secondary or pda)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 09:16
S44	2691	router and wlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 07:45
S45	1	router and wlan and (basic adj ssid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 07:46

S46	321	router and wlan and (basic adj service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 15:07
S47	27	S46 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 10:12
S48	68	(modem with emulat\$3).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 08:54
S49	6	S48 and "455"/\$.ccis.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 08:54
S50	58	("20020071413" "20020090593" "20020090953" "20020126000" "20020142652" "20020181510" "20020191575" "20030008644" "20030032434" "20030109284" "20030142652" "20030174682" "20030235175" "20040004951" "20040053602" "20040203638" "20040204071" "20040220995" "20040224682" "5231634" "6014568" "6026304" "6154172" "6208861" "6463289" "6553233" "6560642" "6804532").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 09:46
S51	405	router and "802.11" and ((first adj basic adj service) or BSSID or SSI D) and ((second adj basic adj service) or BSSID or SSI D)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 10:11
S52	405	router and "802.11" and ((first adj basic adj service) or BSSID or SSI D) and ((second adj basic adj service) or BSSID or SSI D))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 10:12

S53	49	S51 and(@ad<="20030311" or @riad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 15:38
S54	49	S52 and(@ad<="20030311" or @riad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 12:17
S55	2	"20020059453".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 12:18
S58	2	"20020172186".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 12:21
S59	2	"20020168993".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 12:42
S60	2	"20050122927 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 13:09
S61	2	"20060120334 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 13:58
S62	2	"20050135304 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 09:40
S63	3	"6618369 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 14:00
S64	14	first adj2 (((internet adj2 protocol) or ip) adj2 address) and (basic adj service adj set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 15:46
S65	106	w/an adj2 router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 15:37

S66	20	S65 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 15:38
S67	13	first adj2 (((internet adj2 protocol) or ip) adj2 address) and (basic adj service adj set) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 16:18
S68	12	((first adj2 (((internet adj2 protocol) or ip) adj2 address) and (basic adj service adj set) and "802.11" and (second adj2 (((internet adj2 protocol) or ip) adj2 address)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 07:59
S70	2	"6791962 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 10:02
S71	0	"10621557 ".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 10:03
S72	5	"621557 ".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 12:24
S73	123377	nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 12:43
S74	4077	(internet adj2 connection adj2 sharing) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 12:44
S75	2019	(internet adj2 connection adj2 sharing) and "802.11" and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 12:44
S76	893	S75 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 14:29
S80	435	(connect\$4 same pda same internet same computer and "802.11") and (@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 14:43

S81	0	(connect\$4 same pda same internet same (another or second) adj2 computer and "802.11") and (@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 14:43
S82	435	(connect\$4 same pda same internet same computer and "802.11") and (@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 11:03
S83	34	(connect\$4 same pda same internet same computer and "802.11") and (@ad<="20030311" or @riad<="20030311") and ad \$hoc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 17:36
S84	37	(connect\$4 same pda same internet same (computer or laptop) and "802.11") and (@ad<="20030311" or @riad<="20030311") and ad \$hoc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 07:07
S85	113	(connect\$4 same pda same (internet or network or sever) same (computer or laptop) and "802.11") and (@ad<="20030311" or @riad<="20030311") and ad \$hoc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 07:41
S86	129	((connect\$4 or link43) same pda same (internet or network or sever) same (computer or laptop or device) and "802.11") and (@ad<="20030311" or @riad<="20030311") and ad \$hoc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 07:42
S88	5	"617324".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 13:30
S90	1229	"802.11" and tag\$4 and frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 13:33
S91	620	S90 and (@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 13:33

S92	158	"802.11" and (tag\$4 with frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 13:33
S93	98	S92 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:50
S94	29	S92 and(@ad<="20030311" or @rlad<="20030311") and vlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 15:39
S95	87	receiv\$3 same transmit\$3 same frame same (basic adj service adj set) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 16:09
S96	37	S95 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 15:39
S97	1	receiv\$3 same transmit\$3 same frame same (basic adj service adj set) and "802.11" and vlan and bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 16:22
S98	2	receiv\$3 same transmit\$3 same frame same (basic adj service adj set) and "802.11" and vlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 07:56
S100	159	"802.11" and (tag\$4 with frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 07:57
S101	99	S100 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 11:25
S102	2	"5884031".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 11:25
S103	292	370/352.ccls. and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 07:18

S104	121	S103 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 07:19
S106	5058	pda with (laptop notebook) with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 10:40
S108	3998	pda with (laptop) with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 10:40
S109	420	pda with (laptop) with internet and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 10:41
S110	153	S109 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 13:01
S111	42	(connect\$4 with pda with internet with (computer laptop notebook) and "802.11") and (@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 13:01
S112	26	translate with first with internet with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 13:01
S113	1	S112 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 13:09
S114	19	S112 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 15:09
S115	1	S114 and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 16:35
S116	8	simultaneous with (ad\$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 11:08

S117	2	"20030054818".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 17:01
S122	1	(basic adj service adj set (BSSS)) with (first adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 08:15
S123	237	(basic adj service adj set (BSSS)) with (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:22
S124	15	S123 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 07:38
S125	96	S123 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 07:44
S126	3	(basic adj service adj set (BSSS)) with (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:34
S127	3	(basic adj service adj set (BSSS)) with (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 13:37
S128	18861	receiv\$3 same transmit\$4 same tag\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 07:44
S129	9365	receiv\$3 with transmit\$4 with tag\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 07:44
S130	5007	S129 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 08:16
S131	184	S130 and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 09:22

S132	0	(basic adj service adj set (BSSS)) with (first adj address) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 08:15
S133	204	(basic adj service adj set (BSSS)) with (address) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 08:15
S134	92	S133 and(@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 09:21
S140	2	us-20020059453-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 09:21
S141	705	ad-hoc with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 09:59
S142	320	S141 and(@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:57
S143	136	S142 and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 09:22
S144	5	ad-hoc with internet with relay \$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 09:59
S145	18	(simultaneous concurrent ("same" adj time)) with (ad\$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 09:19
S147	10	((basic adj service adj set (BSSId)) same (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:10
S148	3	((basic adj service adj set (BSSId)) with (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:21

S149	1596	ip with "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:21
S151	7	(basic adj service adj set (BSSd)) with (ip with packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:31
S152	3	(basic adj service adj set (BSSd)) with (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:34
S153	45	(basic adj service adj set (BSSd)) with ((internet ip) with (address packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:57
S154	97	(basic adj service adj set (BSSd)) same ((internet ip) with (address packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:08
S155	27	S154 and(@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:58
S156	6	frame with (basic adj service adj set (BSSd)) with ((internet ip) with (address packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:11
S157	8	packet with (basic adj service adj set (BSSd)) with ((internet ip) with (address packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:12
S158	37	(simultaneous\$2 concurrent\$2 (at adj2 "same" adj time)with (ad\$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:48
S159	32	(internet ip) with packet with ("802.11" with frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:31
S160	78	(connect\$4 with (nearby neighbors\$4 adjacent\$3 close\$1by) with (mobile wireless) with internet) and (@riad<"20030311" @ad<"20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:30

S161	0	(connect\$4 with trough with (nearby neighbo\$1r\$4 adjacent \$3 close\$1by) with (mobile wireless) with internet) and (@rlad<"20030311" @ad<"20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:30
S162	50	((internet ip) with (packet address) with ("802.11" with frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:42
S164	18	S162 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:44
S165	2	((internet ip) with (packet address) with ("802.11" with frame) with (ssid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:44
S166	228	different with (ssid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:49
S167	71	S162 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:49
S168	330	((different chang\$3) with (ssid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 09:10
S169	103	S168 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 09:11
S170	103	(modify\$3 chang\$3 updat\$3 translat\$3 replac\$3) with (ssid (basic adj service adj set))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 09:11
S171	44	S170 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 09:20
S172	43	(simultaneous\$2 concurrent\$2 ("same" adj time)) with (ad\$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 09:20

S173	13	S172 and(@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 12:44
S174	217	"802.11" and ad\$hoc and (nat (network adj address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 16:20
S175	90	S174 and(@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 12:49
S176	71	"802.11" and ad\$hoc and (nat (network adj address adj translation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 13:50
S177	36	S176 and(@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 13:50
S178	574	"802.11" and (nat (network adj address adj translation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 13:50
S179	267	S178 and(@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 16:20
S180	48	S179 and Private adj ip adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 16:18
S181	1611	ip adj packet and (nat network adj address adj translation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 16:19
S182	194	S181 and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 16:20
S183	103	S182 and(@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 16:20

S184	125	"802.11" and wds	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:37
S185	36	S184 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:46
S186	43	(simultaneous\$2 concurrent\$2 ("same" adj time)) with (ad\$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:46
S187	13	S186 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:47
S188	41	(US-20050281237-\$ or US- 20030202505-\$ or US- 20030156558-\$ or US- 20060274792-\$ or US- 20060062187-\$ or US- 20070036091-\$ or US- 20070008922-\$ or US- 20060206944-\$ or US- 20050254474-\$ or US- 20050135305-\$ or US- 20040023652-\$ or US- 20040077374-\$ or US- 20060148516-\$ or US- 20030158891-\$ or US- 20030140256-\$ or US- 20030220988-\$ or US- 20040204031-\$ or US- 20040166812-\$ or US- 20040131188-\$ or US- 20040160903-\$ or US- 20040203740-\$ or US- 20040071122-\$ or US- 20030054818-\$ or US- 20040179503-\$ or US- 20060233184-\$ or US- 20040125778-\$).did. or (US- 20040125776-\$ or US- 20060104235-\$ or US- 20050135422-\$ or US- 20030087602-\$ or US- 20060120336-\$ or US- 20030210700-\$ or US- 20030167405-\$ or US- 20020163895-\$).did. or (US- 7062566-\$ or US-7177594-\$ or US-7039033-\$ or US-5757924-\$ or US-7194263-\$ or US- 7016334-\$ or US-7251489-\$).	US-PGPUB; USPAT	OR	ON	2007/08/23 11:20

		did.				
S190	20	S188 and encrypt\$4	US-PGPUB; USPAT	OR	ON	2007/08/23 11:20
S191	55	pda with (ip adj2 address) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 14:38
S192	26	S191 and(@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 16:19
S193	348	((((internet adj2 address) or ip) adj2 address) and (basic adj service adj set (bssid)) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 16:19
S194	37	((((internet adj2 address) or ip) adj2 address) with (basic adj service adj set (bssid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 16:19
S195	14	S194 and(@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 16:19
S196	37	((((internet adj2 address) or ip) adj2 address) with (basic adj service adj set (bssid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 06:38
S198	7	"377462".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 13:40
S199	20	(group broadcast) near3 (e-mail email) with (send transmi\$5) same (reply\$5) with (group broadcast) near3 (e-mail email)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 18:49
S200	22470	"802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S201	4735	370/389.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S202	321	370/536.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S203	12288	370/352.ccls..	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S204	19339	(transmit\$4 and receiv\$3) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S205	7901	S204 and frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S206	1366	S205 and service adj set	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S207	1158	S206 and(mac or (medium adj access adj control))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S208	22664	370/913.ccls.and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S209	94	370/913.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S210	95	S207 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S211	8	"242632".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S212	8	"242635".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S213	443	S207 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S214	0	"10242635".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S215	19339	(transmit\$4 and receiv\$3) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S216	7901	S215 and frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S217	1366	S216 and service adj set	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S218	1158	S217 and(mac or (medium adj access adj control))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S219	69	S218 and(@ad<="20030311" or @rlad<="20030311") and pda and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S220	59	S218 and(@ad<="20030311" or @rlad<="20030311") and primary and secondary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S221	86	S218 and(@ad<="20030311" or @rlad<="20030311") and primary and (secondary or pda)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S222	2	"20020059453".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S223	75	(modem with emulat\$3).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S224	3417	router and wlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S225	1	router and wlan and (basic adj ssid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S226	6	S223 and "455"/\$.cls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S227	394	router and wlan and (basic adj service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S228	29	S227 and(@ad<="20030311" or @riad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S229	58	("20020071413" "20020090593" "20020090953" "20020128000" "20020142652" "20020181510" "20020191575" "20030008644" "20030032434" "20030109284" "20030142652" "20030174682" "20030235175" "20040004951" "20040053602" "20040203638" "20040204071" "20040220995" "20040224682" "5231634" "6014568" "6026304" "6154172" "6208861" "6463289" "6553233" "6560642" "6804532").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S230	522	router and "802.11" and ((first adj (basic adj service)or BSSID or SSID)) and ((second adj (basic adj service) or BSSID or SSID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S231	522	router and "802.11" and ((first adj basic adj service) or BSSID or SSI D) and ((second adj basic adj service) or BSSID or SSI D)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S232	53	S230 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S233	53	S231 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S234	2	"20050122927 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S235	2	"20020168993".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S236	2	"20020172186".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S237	2	"20050135304 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S238	15	first adj2 (((internet adj2 protocol) or ip) adj2 address) and (basic adj service adj set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S239	3	"6618369 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S240	2	"20060120334 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S241	14	first adj2 (((internet adj2 protocol) or ip) adj2 address) and (basic adj service adj set) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S242	141	wlan adj2 router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S243	20	S242 and(@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S244	13	((first adj2 (((internet adj2 protocol) or ip) adj2 address)) and (basic adj service adj set) and "802.11" and (second adj2 (((internet adj2 protocol) or ip) adj2 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S245	6	"621557 ".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S246	0	"10621557 ".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S247	2	"6791962 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S248	130565	nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S249	2512	(internet adj2 connection ad2 sharing) and "802.11" and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S250	4929	(internet adj2 connection ad2 sharing) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S251	37	(connect\$4 same pda same internet same computer and "802.11") and (@ad<="20030311" or @riad<="20030311") and ad \$hoc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S252	466	(connect\$4 same pda same internet same computer and "802.11") and (@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S253	0	(connect\$4 same pda same internet same (another or second) adj2 computer and "802.11") and (@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S254	40	(connect\$4 same pda same internet same (computer or laptop) and "802.11") and (@ad<="20030311" or @riad<="20030311") and ad \$hoc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S255	1001	S249 and(@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S256	466	(connect\$4 same pda same internet same computer and "802.11") and (@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S257	120	(connect\$4 same pda same (internet or network or sever) same (computer or laptop) and "802.11") and (@ad<="20030311" or @riad<="20030311") and ad \$hoc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S258	138	((connect\$4 or link43) same pda same (internet or network or sever) same (computer or laptop or device) and "802.11") and(@ad<="20030311" or @riad<="20030311") and ad \$hoc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S259	188	"802.11" and (tag\$4 with frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S260	105	S259 and(@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S261	1526	"802.11" and tag\$4 and frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S262	694	S261 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S263	5	"617324".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S264	1	receiv\$3 same transmit\$3 same frame same (basic adj service adj set) and "802.11" and vlan and bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S265	101	receiv\$3 same transmit\$3 same frame same (basic adj service adj set) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S266	40	S265 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S267	30	S259 and(@ad<="20030311" or @rlad<="20030311") and vlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S268	2	receiv\$3 same transmit\$3 same frame same (basic adj service adj set) and "802.11" and vlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S269	2	"5884031".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S270	188	"802.11" and (tag\$4 with frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S271	105	S270 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S272	358	370/352.cdis. and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S273	130	S272 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S274	438	pda with (laptop) with internet and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S275	5153	pda with (laptop notebook) with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S276	4083	pda with (laptop) with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S277	26	translate with first with internet with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S278	1	S277 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S279	19	S277 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S280	2	"20030054818".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S281	8	simultaneous with (ad\$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S282	1	S279 and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S283	154	S274 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S284	42	(connect\$4 with pda with internet with (computer laptop notebook) and "802.11") and (@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S285	242	(basic adj service adj set (BSSs)) with (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S286	96	S285 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S287	15	S285 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S288	19117	receive\$3 same transmit\$4 same tag\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S289	9529	receive\$3 with transmit\$4 with tag\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S290	5021	S289 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S291	3	(basic adj service adj set (BSSs)) with (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S292	3	(basic adj service adj set (BSSd)) with (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S293	714	ad-hoc with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S294	186	S290 and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S295	2	us-20020059453-\$\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S296	322	S293 and(@ad<="20030311" or @rld<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S297	208	(basic adj service adj set (BSSS)) with (address) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S298	92	S297 and(@ad<="20030311" or @rld<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S299	10	((basic adj service adj set) (BSSd)) same (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S300	99	(basic adj service adj set (BSSd)) same ((internet ip) with (address packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S301	78	(connect\$4 with (nearby neighbo \$1r\$4 adjacen\$3 close\$1by) with (mobile wireless) with internet) and (@rld<"20030311" @ad<"20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S302	37	(simultaneous\$2 concurrent\$2 (at adj2 "same" adj time))with (ad\$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S303	3	((basic adj service adj set) (BSSd)) with (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S304	0	(basic adj service adj set (BSSS)) with (first adj address) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S305	8	packet with (basic adj service adj set (BSSd)) with ((internet ip) with (address packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S306	18	(simultaneous concurrent ("same" adj time) with (ad\$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S307	1638	ip with "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S308	7	(basic adj service adj set (BSSId)) with (ip with packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S309	47	(basic adj service adj set (BSSId)) with ((internet ip) with (address packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S310	28	S300 and(@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S311	3	(basic adj service adj set (BSSId)) with (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S312	137	S296 and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S313	6	ad-hoc with internet with relay \$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S314	33	(internet ip) with packet with ("802.11" with frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S315	6	frame with (basic adj service adj set (BSSId)) with ((internet ip) with (address packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S316	1	(basic adj service adj set (BSSS)) with (first adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S317	106	(modify\$3 chang\$3 updat\$3 translat\$3 replac\$3) with (bssid (basic adj service adj set))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S318	43	(simultaneous\$2 concurrent\$2 ("same" adj time)) with (ad\$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S319	13	S318 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S320	235	different with (bssid ssid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S321	71	S320 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S322	51	(internet ip) with (packet address) with ("802.11" with frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S323	2	(internet ip) with (packet address) with ("802.11" with frame) with (bssid ssid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S324	339	(different chang\$3) with (bssid ssid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S325	103	S324 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S326	44	S317 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S327	18	S322 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S328	0	(connect\$4 with trough with (nearby neighbo\$1r\$4 adjacen \$3 close\$1by) with (mobile wireless) with internet) and (@riad< "20030311" @ad< "20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S329	225	"802.11" and ad\$hoc and (nat (network adj address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S330	92	S329 and(@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S331	75	"802.11" and ad\$hoc and (nat (network adj address adj translation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S332	37	S331 and(@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S333	593	"802.11" and (nat (network adj address adj translation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S334	269	S333 and(@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S335	1631	ip adj packet and (nat network adj address adj translation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S336	201	S335 and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S337	104	S336 and(@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S338	48	S334 and Private adj ip adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S339	125	"802.11" and wds	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S340	36	S339 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S341	41	(US-20050281237-\$ or US- 20030202505-\$ or US- 20030156558-\$ or US- 20060274792-\$ or US- 20060062187-\$ or US- 20070036091-\$ or US- 20070008922-\$ or US- 20060206944-\$ or US- 20050254474-\$ or US- 20050135305-\$ or US- 20040023652-\$ or US- 20040077374-\$ or US- 20060148516-\$ or US- 20030158891-\$ or US- 20030140256-\$ or US- 20030220988-\$ or US- 20040204031-\$ or US- 20040166812-\$ or US- 20040131188-\$ or US- 20040160903-\$ or US- 20040203740-\$ or US- 20040071122-\$ or US- 20030054818-\$ or US- 20040179503-\$ or US- 20060233184-\$ or US- 20040125778-\$).did. or (US- 20040125776-\$ or US- 20060104235-\$ or US- 20050135422-\$ or US- 20030087602-\$ or US- 20060120336-\$ or US- 20030210700-\$ or US- 20030167405-\$ or US- 20020163895-\$).did. or (US- 7062566-\$ or US-7177594-\$ or US-7039033-\$ or US-5757924-\$ or US-7194263-\$ or US- 7016334-\$ or US-7251489-\$). did.	US-PGPUB; USPAT	OR	ON	2007/09/06 09:14
S342	20	S341 and encrypt\$4	US-PGPUB; USPAT	OR	ON	2007/09/06 09:14
S343	43	(simultaneous\$2 concurrent\$2 ("same" adj time)) with (ad\$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S344	13	S343 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S345	55	pda with (ip adj2 address) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S346	38	((internet adj2 address) or ip adj2 address) with (basic adj service adj set (ssid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S347	15	S346 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S348	354	((internet adj2 address) or ip adj2 address) and (basic adj service adj set (ssid)) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S349	26	S345 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S350	38	((internet adj2 address) or ip adj2 address) with (basic adj service adj set (ssid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S351	7	"377462".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S352	20	(group broadcast) near3 (e-mail email) with (send transi\$5) same (reply\$5) with (group broadcast) near3 (e-mail email)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S353	5	"617324".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 16:38
S354	16	wireless adj router with nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 10:57

S355	69740	tag\$3 with (body payload data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 12:31
S356	24819	tag\$3 with (frame body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 12:36
S357	13985	tag\$3 near4 (frame body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 12:36
S358	3984	tag\$3 adj2 (frame body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 12:36
S359	69	S358 and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 12:37
S360	2	S359 and nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 12:38
S361	1664	sap and nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 13:10
S362	33	sap with nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 13:10
S363	33	(service adj access adj point) with nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 13:13
S364	57	"802.11" and roam\$3 with nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 13:41
S365	0	"802.11" and ad\$hoc with nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 13:47

S366	7	ad\$hoc with nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 13:47
S367	3	pseudo\$dhcp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 14:03
S368	31	dhcp with pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 14:06
S369	835	("802.11" wlan) and nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 14:21
S370	93	S369 and ad\$hoc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 14:21
S371	37	S370 and(@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 14:21
S372	613	nested near3 tag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 15:46
S373	399	S372 and(@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 15:47
S374	6	S373 and (wlan "802.11")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 15:47
S375	6056	(encapsulat\$3 nest\$3) with (tag \$3 label\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 15:59
S376	154	S375 and (wlan "802.11")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 16:00

S377	56	S376 and(@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 16:00
S378	108	(tag\$3 label\$3) with before with (encapsulat\$3 nest\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 16:11
S379	70	S378 and(@ad<="20030311" or @riad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 16:12
S380	27	(tag\$4 label\$3) with (identifi\$6) with (bssid (service adj set adj identifi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 08:26
S381	1	(tag\$4 label\$3) with (represent \$3) with (bssid (service adj set adj identifi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 08:55
S382	0	(tag\$4 label\$3) with (relat\$3) with (bssid (service adj set adj identifi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 08:56
S383	0	(tag\$4 label\$3) with (correspond \$3) with (bssid (service adj set adj identifi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 08:57
S384	24	(tag\$4 label\$3) with (correspond \$3 exemplify\$3 serv\$3 denot\$3) with (bssid (service adj set adj identifi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 08:58
S385	3	(encapsulat\$3) with (identifi\$7 correspond\$3 exemplify\$3 serv \$3 denot\$3) with (bssid (service adj set adj identifi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 09:12
S386	72	(connect\$3 communicat\$3 transmits\$4) with (pda) with (through via) with (laptop (portable adj computer)) with (ap (access adj point))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 09:16
S387	252	(bssid (basic adj service adj set)) and (ip internet) near\$3 address and (tag\$4 label\$3 encapsulat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 10:22

S388	7	((bssid (basic adj service adj set)) and (ip internet) near3 address and (tag\$4 label\$3 encapsulat\$3)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 10:25
S390	2	"20030142684".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 12:40
S391	2	"20030142684".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 12:40
S394	2	"20040095932".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 12:43
S395	2	"20040151193".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 12:45
S396	2	"20040190477".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 12:48
S397	2	"20040255033".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 12:50
S398	2	"20060062187".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 12:50
S399	2	"20070025349".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 12:51
S400	2	"6618398".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 12:53
S401	2	"7046666".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 12:54

S403	10	6038233-\$.DID. OR 20030185236-\$.DID. US- 7159242-\$.DID. OR US- 20020009088-\$.DID. OR US- 20040052259-\$.DID. OR US- 6055236-\$.DID. OR US- 20060013211-\$.DID. 11/082981.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 13:42
S404	14	US-6038233-\$.DID. OR US- 20030185236-\$.DID. or US- 7159242-\$.DID. OR US- 20020009088-\$.DID. OR US- 20040052259-\$.DID. OR US- 6055236-\$.DID. OR US- 20060013211-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 13:44
S405	2	"6266707".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 14:04
S406	380	tag with frame with identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 14:10
S407	11	S406 and ("802.11" wlan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 14:11
S408	2	"5742604".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 14:20

3/ 20/ 2008 10:58:30 AM

C:\Documents and Settings\gvianadiprisco\My Documents\EAST\Workspaces\10617324.wsp